



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Report No. : WTF26F06175853A2C
Job No. : FSW2606221399CJ
Applicant : Mid Ocean Brands B.V.
Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Manufacturer : 114276
Sample Name : Portable radio with LED torch
Sample Model : MO2746
Test Requested : With reference to EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863, to determine the Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the submitted sample.
Test Method : Refer to next page (s)
Test Conclusion : **Pass**
Date of Receipt Sample : 2026-06-22 & 2026-07-07 & 2026-07-15
Testing Period : 2026-06-22 to 2026-06-30 & 2026-07-07 to 2026-07-10 & 2026-07-15 to 2026-07-18
Date of Issue : 2026-07-20
Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.



WTF26F06175853A2C

Swing.Liang
Waltek Testing Group (Foshan) Co., Ltd.
<http://www.waltek.com.cn>



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Sample photo:



MO2746



MO2746



MO2746



MO2746



MO2746



MO2746



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ



MO2746



MO2746

WALTEK



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Test Results:**1. Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs**

Test Method/Equipment:

- 1) Disassembly, disjunction and mechanical sample preparation
- 2) With reference to IEC 62321-3-1:2026, screening –Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry
- 3) With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES
- 4) With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES
- 5) With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, determination of Hexavalent Chromium by UV-Vis
- 6) With reference to IEC 62321-12:2023, determination of PBBs and PBDEs by GC-MS

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
1	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 163
2	Transparent plastic sheet with black surfaced with adhesive	BL	BL	BL	BL	BL	NA
3	Black plastic shell	BL	BL	BL	BL	BL	NA
4	Black plastic part	BL	BL	BL	BL	BL	NA
5	Black plastic shell	BL	BL	BL	BL	BL	NA
6	Silvery metal screw with black surfaced	BL	BL	BL	IN	--	Cr(VI): Negative
7	Black fabric wire	BL	BL	BL	BL	BL	NA
8	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 69
9	Black fabric wire	BL	BL	BL	BL	BL	NA
10	Black soft plastic button	BL	BL	BL	BL	BL	NA
11	Silvery metal shell	BL	BL	BL	IN	--	Cr(VI): Negative
12	Transparent plastic shell	BL	BL	BL	BL	BL	NA
13	Black soft plastic shell	BL	BL	BL	BL	BL	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
14	Silvery metal screw	BL	BL	BL	BL	--	NA
15	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs :64
16	Black plastic shell	BL	BL	BL	BL	BL	NA
17	Silvery metal axle	BL	BL	BL	IN	--	Cr(VI): Negative
18	Transparent plastic shell	BL	BL	BL	BL	BL	NA
19	Red plastic shell(plug)	BL	BL	BL	BL	BL	NA
20	Silvery metal pin(plug)	BL	BL	BL	BL	--	NA
21	Black plastic wire covering	BL	BL	BL	BL	BL	NA
22	Red plastic wire covering	BL	BL	BL	BL	BL	NA
23	Coppery metal wire	BL	BL	BL	BL	--	NA
24	Solder	BL	IN	BL	IN	--	Cr(VI): Negative Pb :135
25	Black felt with adhesive	BL	BL	BL	BL	BL	NA
26	White plastic part	BL	BL	BL	BL	BL	NA
27	Yellow transparent dry glue	BL	BL	BL	BL	BL	NA
28	Silvery metal shell	BL	BL	BL	IN	--	Cr(VI): Negative
29	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
30	Black dry glue	BL	BL	BL	BL	BL	NA
31	Black plastic film	BL	BL	BL	BL	BL	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
32	Black plastic rim	BL	BL	BL	BL	BL	NA
33	Coppery metal wire	BL	BL	BL	BL	--	NA
34	Silvery magnetic block	BL	BL	BL	BL	--	NA
35	White plastic shell(plug)	BL	BL	BL	BL	BL	NA
36	Transparent plastic sheet with blue-black surface	BL	BL	BL	BL	BL	NA
37	Black-green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
38	Black plastic adhesive tape	BL	BL	BL	BL	BL	NA
39	Black PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
40	Black plastic shell with silvery plating	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 749
41	Chip LED	BL	BL	BL	BL	BL	NA
42	Off-with plastic shell(socket)	BL	BL	BL	BL	BL	NA
43	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA
44	Black plastic shell	BL	BL	BL	BL	BL	NA
45	Silvery crystal oscillator	BL	BL	BL	BL	BL	NA
46	White ceramic sheet(crystal oscillator)	BL	BL	BL	BL	--	NA
47	Black plastic shell(button)	BL	BL	BL	BL	BL	NA
48	Silvery metal shell(button)	BL	BL	BL	BL	--	NA
49	Silvery metal sheet(button)	BL	BL	BL	BL	--	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
50	Chip capacitor	BL	BL	BL	BL	BL	NA
51	Chip IC	BL	BL	BL	BL	BL	NA
52	Chip capacitor(grey)	BL	BL	BL	BL	BL	NA
53	Chip audion	BL	BL	BL	BL	BL	NA
54	Chip diode	BL	BL	BL	BL	BL	NA
55	Chip fuse	BL	BL	BL	BL	BL	NA
56	Chip resistor	BL	BL	BL	BL	BL	NA
57	Chip LED	BL	BL	BL	BL	BL	NA
58	Chip IC	BL	BL	BL	BL	BL	NA
59	Black plastic core(socket)	BL	BL	BL	BL	BL	NA
60	Silvery metal shell(socket)	BL	BL	BL	IN	--	Cr(VI): Negative
61	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA
62	Copperly varnished wire(inductor)	BL	BL	BL	BL	BL	NA
63	Black magnetic core(inductor)	BL	BL	BL	IN	--	Cr(VI): ND
64	Chip resistor	BL	BL	BL	BL	BL	NA
65	Chip inductor	BL	BL	BL	BL	BL	NA
66	Chip capacitor	BL	BL	BL	BL	BL	NA
67	White plastic sheet	BL	BL	BL	BL	BL	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
68	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
69	Brown plastic sheet	BL	BL	BL	BL	BL	NA
70	Black-green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
71	Silvery metal sheet	BL	BL	BL	BL	--	NA
72	Silvery metal spring	BL	BL	BL	BL	--	NA
73	Silvery metal sheet	BL	BL	BL	BL	--	NA
74	Silvery metal sheet	BL	BL	BL	IN	--	Cr(VI): Negative
75	Silvery metal part	BL	BL	BL	BL	--	NA
76	Silvery metal pin	BL	BL	BL	BL	--	NA
77	Black plastic part(button)	BL	BL	BL	BL	BL	NA
78	Silvery metal shell(button)	BL	BL	BL	BL	--	NA
79	Silvery metal sheet(button)	BL	BL	BL	BL	--	NA
80	Silvery metal spring(button)	BL	BL	BL	BL	--	NA
81	Silvery metal ball(button)	BL	BL	BL	IN	--	Cr(VI): Negative
82	Brown plastic sheet(button)	BL	BL	BL	BL	BL	NA
83	Black plastic shell(button)	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
84	Silvery metal shell(button)	BL	BL	BL	BL	--	NA
85	Silvery metal sheet(button)	BL	BL	BL	IN	--	Cr(VI): Negative



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
86	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
87	Black plastic wire covering	BL	BL	BL	BL	BL	NA
88	Silvery metal wire	BL	BL	BL	BL	--	NA
89	Silvery metal shell	BL	BL	BL	BL	--	NA
90	Silvery-blue metal screw	BL	BL	BL	BL	--	NA
91	Silvery metal sheet	BL	BL	BL	BL	--	NA
92	Golden metal part	BL	BL	BL	BL	--	NA
93	Silvery metal terminal block	BL	BL	BL	BL	--	NA
94	Silvery metal sheet	BL	BL	BL	BL	--	NA
95	Silvery metal spring	BL	BL	BL	BL	--	NA
96	Black magnetic core	BL	BL	BL	BL	--	NA
97	Copper varnished wire with white glue	BL	BL	BL	BL	BL	NA
98	Brown paper sheet	BL	BL	BL	BL	BL	NA
99	White paper shell	BL	BL	BL	BL	BL	NA
100	Silvery metal buckle with black surfaced	BL	BL	BL	IN	--	Cr(VI): Negative
101	Black plastic gasket	BL	BL	BL	BL	BL	NA
102	Dark silvery metal gear	BL	BL	BL	BL	--	NA
103	White plastic gear	BL	BL	BL	BL	BL	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
104	Silvery metal axle	BL	BL	BL	BL	--	NA
105	Black plastic gasket	BL	BL	BL	BL	BL	NA
106	Black magnetic rim	BL	BL	BL	IN	--	Cr(VI): ND
107	Coppery varnished wire	BL	BL	BL	BL	BL	NA
108	Silvery metal part	BL	BL	BL	BL	--	NA
109(R2)	Yellow glue	BL	BL	BL	BL	BL	NA
110	Silvery silicon steel sheet with green surfaced	BL	BL	BL	IN	--	Cr(VI): Negative
111	Silvery metal axle	BL	BL	BL	IN	--	Cr(VI): Negative
112	Purple plastic film with black printing	BL	BL	BL	BL	BL	NA
113	White plastic gasket	BL	BL	BL	BL	BL	NA
114	Green plastic shell	BL	BL	BL	BL	BL	NA
115	Red plastic shell	BL	BL	BL	BL	BL	NA
116	Black plastic wire jacket	BL	BL	BL	BL	BL	NA
117	Black plastic jacket(USB plug)	BL	BL	BL	BL	BL	NA
118	Silvery metal shell(USB plug)	BL	BL	BL	BL	--	NA
119	White plastic core(USB plug)	BL	BL	BL	BL	BL	NA
120	Solder(USB plug)	BL	BL	BL	IN	--	Cr(VI): Negative
121	Coppery metal wire	BL	BL	BL	BL	--	NA



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
122	Silvery metal pin(USB plug)	BL	BL	BL	BL	--	NA
123	Red plastic wire covering	BL	BL	BL	BL	BL	NA
124	Black plastic wire covering	BL	BL	BL	BL	BL	NA
125(R2)	Black plastic jacket(Type-C plug)	BL	BL	BL	BL	BL	NA
126	Silvery metal shell(Type-C plug)	BL	BL	BL	IN	--	Cr(VI): Negative
127	Black plastic core(Type-C plug)	BL	BL	BL	BL	BL	NA
128	Silvery metal sheet(Type-C plug)	BL	BL	BL	IN	--	Cr(VI): Negative
129	Golden metal pin(Type-C plug)	BL	IN	BL	BL	--	Pb:504
130	Chip resistor(Type-C plug)	BL	BL	BL	BL	BL	NA
131(R1)	Solder(Type-C plug)	BL	BL	BL	BL	--	NA
132	Green PCB(Type-C plug)	BL	BL	BL	BL	BL	NA

2. Phthalates

Test Method/Equipment:

1) With reference to IEC 62321-12:2023, determination of DBP, BBP, DEHP, DIBP by GC-MS

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T01	1+2+3+4+5 [△]	ND	ND	102	ND
T02	7+9+25 [△]	ND	ND	ND	ND
T03	8+12+15+16+18 [△]	ND	ND	ND	ND
T04	10+13+21 [△]	ND	ND	ND	ND
T05	19+26+27+30+31 [△]	ND	ND	ND	ND
T06	22+87+116 [△]	ND	ND	ND	ND
T07	29+37+39 [△]	ND	ND	ND	ND
T08	32+35+36+40+42 [△]	ND	ND	ND	ND



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T09	38+97+98 [△]	ND	ND	ND	ND
T10	109(R2)	ND	ND	ND	ND
T11	125(R2)	ND	ND	ND	ND
T12	41+45+50+51+52 [△]	ND	ND	ND	ND
T13	44+47+59+67+68 [△]	ND	ND	ND	ND
T14	53+54+55+56+57 [△]	ND	ND	ND	ND
T15	58+64+65+66+130 [△]	ND	ND	ND	ND
T16	62+107 [△]	ND	ND	ND	ND
T17	69+77+82+83+99 [△]	ND	ND	ND	ND
T18	70+86+132 [△]	ND	ND	ND	ND
T19	101+103+105+112 [△]	ND	ND	ND	ND
T20	113+114+115+119+127 [△]	ND	ND	ND	ND
T21	117+123+124 [△]	125	ND	377	ND
T22	6	--	--	--	--
T23	11	--	--	--	--
T24	14	--	--	--	--
T25	17	--	--	--	--
T26	20	--	--	--	--
T27	23	--	--	--	--
T28	24	--	--	--	--
T29	28	--	--	--	--
T30	33	--	--	--	--
T31	34	--	--	--	--
T32	43	--	--	--	--
T33	46	--	--	--	--
T34	48	--	--	--	--
T35	49	--	--	--	--
T36	60	--	--	--	--
T37	61	--	--	--	--
T38	63	--	--	--	--
T39	71	--	--	--	--
T40	72	--	--	--	--
T41	73	--	--	--	--
T42	74	--	--	--	--
T43	75	--	--	--	--
T44	76	--	--	--	--
T45	78	--	--	--	--



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T46	79	--	--	--	--
T47	80	--	--	--	--
T48	81	--	--	--	--
T49	84	--	--	--	--
T50	85	--	--	--	--
T51	88	--	--	--	--
T52	89	--	--	--	--
T53	90	--	--	--	--
T54	91	--	--	--	--
T55	92	--	--	--	--
T56	93	--	--	--	--
T57	94	--	--	--	--
T58	95	--	--	--	--
T59	96	--	--	--	--
T60	100	--	--	--	--
T61	102	--	--	--	--
T62	104	--	--	--	--
T63	106	--	--	--	--
T64	108	--	--	--	--
T65	110	--	--	--	--
T66	111	--	--	--	--
T67	118	--	--	--	--
T68	120	--	--	--	--
T69	121	--	--	--	--
T70	122	--	--	--	--
T71	126	--	--	--	--
T72	128	--	--	--	--
T73	129	--	--	--	--
T74	131(R1)	--	--	--	--



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Remark:

- (1) Results are obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr(VI)) and GC-MS (for PBBs, PBDEs) is required to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2026 (unit: mg/kg)

Element	Plastics	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < IN < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < IN < (130+3\sigma) \leq OL$	$LOD < IN < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < IN < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < IN < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < IN$	$BL \leq (700-3\sigma) < IN$	$BL \leq (500-3\sigma) < IN$
Br	$BL \leq (700-3\sigma) < IN$	--	$BL \leq (500-3\sigma) < IN$

BL= Below Limit

OL= Over Limit

LOD = Limit of Detection

- (2) "IN" expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) mg/kg =milligram per kilogram=ppm, $\mu\text{g}/\text{cm}^2$ = micrograms per square centimetre.
- (5) ND = Not Detected or lower than limit of quantitation.
- (6) NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (7) -- = Not Regulated
- (8) LOQ = Limit of quantitation.

Test Items	Pb	Cd	Hg	Cr(VI)		PBB	PBDE	DBP	BBP	DEHP	DIBP
Units	mg/kg	mg/kg	mg/kg	mg/kg	$\mu\text{g}/\text{cm}^2$	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOQ	2	2	2	8	0.1	5	5	50	50	50	50

The LOQ for single compound of PBBs and PBDEs is 5mg/kg, LOQ of Cr(VI) for Plasticsand composite sample is 8mg/kg and LOQ of Cr(VI) for metal sample is $0.1\mu\text{g}/\text{cm}^2$.

- (9) According to IEC 62321-7-1:2015, determined of Cr(VI) on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr(VI) coating, the detected concentration in boiling water extraction solution is less than $0.10\mu\text{g}/\text{cm}^2$.

Positive = Presence of Cr(VI) coating, the detected concentration in boiling water extraction solution is greater than $0.13\mu\text{g}/\text{cm}^2$.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

(10)RoHS Requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr(VI))	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

(11) Abbreviation:

"Pb" denotes Lead, "Cd" denotes Cadmium, "Hg" denotes Mercury, "Cr" denotes Chromium, "Cr(VI)" denotes Hexavalent Chromium, "Br" denotes Bromine, "PBBs" denotes Total Polybrominated Biphenyls, "PBDEs" denotes Total Polybrominated Diphenyl Ethers.

"DBP" denotes Dibutyl phthalate, "BBP" denotes Benzyl butyl phthalate (BBP), "DEHP" denotes Bis(2-ethylhexyl)-phthalate, "DIBP" denotes Diisobutyl phthalate, "PHT" denotes Phthalates.

(12) "Δ"=As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.


(13) For specimen 109(R2): The result(s) was(were) based on the dry weight of the raw material (Blow dry).



Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ

Testing Flow chart:









Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ


Photograph of parts tested:





Report No.: WTF26F06175853A2C


Job No.: FSW2606221399CJ





Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ







Report No.: WTF26F06175853A2C


Job No.: FSW2606221399CJ





Report No.: WTF26F06175853A2C

Job No.: FSW2606221399CJ



Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====