TEST REPORT

Report No.	:	WTF24F04099334C
Applicant	:	Mid Ocean Brands B.V.
Address	:	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
Manufacturer	:	111919
Sample Name	:	RPET fleece blanket
Sample Model	:	MO6804
Test Requested	:	Refer to next page (s)
Test Method	:	Refer to next page (s)
Test Conclusion	:	**Pass** (Please refer to next pages for details)
Date of Receipt sample	:	2024-04-29
Testing period	:	2024-04-29 ~ 2024-05-08
Date of Issue	:	2024-05-10
Test Result	:	Refer to next page (s)
Note	:	As specified by client, only test the designated sample.

Prepared By:
Waltek Testing Group (Foshan) Co., Ltd.
Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

WTF24F04099334C

Summary

Item No.	Test Requested	Test Conclusion
1	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	**Pass**
2	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	**Pass**
3	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	**Pass**

Sample photo:



Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)	Limit (mg/kg)
		No.1	
Lead(Pb)	2	ND	500
Conclusion	--	**Pass**	--

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.

2) AZO

Test Method: With reference to BS EN ISO 14362-1：2017 and BS EN ISO 14362-3：2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)
				No.1
1	4-Aminobiphenyl	92-67-1	30	ND
2	Benzidine	92-87-5	30	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND
4	2-Naphthylamine	91-59-8	30	ND
5	o-Aminoazotoluene	97-56-3	30	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND
7	p-Chloroaniline	106-47-8	30	ND
8	2,4-diaminoanisol	615-05-4	30	ND
9	4,4’-Diaminodiphenylmethane	101-77-9	30	ND
10	3,3’-Dichlorobenzidine	91-94-1	30	ND
11	3,3’-Dimethoxybenzidine	119-90-4	30	ND
12	3,3’-Dimethylbenzidine	119-93-7	30	ND
13	3,3’-Dimethyl-4,4’-diaminodiphenylmethane	838-88-0	30	ND
14	p-cresinin	120-71-8	30	ND
15	4,4’-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND
16	4,4’-Oxydianiline	101-80-4	30	ND
17	4,4’-Thiodianiline	139-65-1	30	ND
18	o-Toluidine	95-53-4	30	ND
19	2,4-Toluylendiamine	95-80-7	30	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND
21	o-anisidine	90-04-0	30	ND
22	4-aminoazobenzene	60-09-3	30	ND
23	2,4-Xylidin	95-68-1	30	ND
24	2,6-Xylidin	87-62-7	30	ND
Conclusion		--	--	**Pass**

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.

3) Colour Fastness to Rubbing

Colour Fastness to Rubbing			
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)			
		No.1	**Client's Limit**
Length	Dry staining	4-5	2-3
	Wet staining	4-5	2-3
Width	Dry staining	4-5	2-3
	Wet staining	4-5	2-3
Conclusion		**Pass**	--

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

Specimen No.	**Specimen Description**
1	Black main fabric

Photograph of parts tested:

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

====== End of Report ======

Test Report

Report No.	: AGC05443260855-001

SAMPLE NAME	:	MO2382 Chequered mohair blanket, MO6804 RPET fleece blanket
MODEL NAME	:	MO2382/MO6804
APPLICANT	:	MID OCEAN BRANDS B.V.
STANDARD(S)	:	Please refer to the following page(s).
DATE OF ISSUE	:	Aug. 20, 2026

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.

Applicant	:	MID OCEAN BRANDS B.V.
Address	:	Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Test Site	:	6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name	:	MO2382 Chequered mohair blanket, MO6804 RPET fleece blanket
Model	:	MO2382/MO6804
Vendor code	:	111919
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample Received Date	:	Aug. 18, 2026
Testing Period	:	Aug. 18, 2026 to Aug. 20, 2026
Test Requested	:	Selected test(s) as requested by client.

Test Requested:	**Conclusion**
Regulation (EU) 2025/40 on Packaging and Packaging Waste (PPWR) - Pb, Cd, Hg, Cr^{6+}	Pass

Approved by:

Suhongliang

Technical Director

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Aug. 20, 2026	Valid	Initial release

The photo of the sample



The photo of AGC05443260855-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	White paper with silver edge (MO2382)
1-2	White ribbon (MO2382)
1-3	Wide white hook-and-loop tape (loop side) (MO2382) (MO6804)
1-4	Wide white hook-and-loop tape (hook side) (MO2382) (MO6804)
1-5	Brown paper (MO2382) (MO6804)
1-6	Corrugated cardboard (MO2382) (MO6804)
1-7	White paper (MO6804)
1-8	White fabric (MO6804)

Test Results:

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%, N/A= Not Applicable

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Regulation (EU) 2025/40 on Packaging and Packaging Waste (PPWR)

- Pb, Cd, Hg, Cr^{6+}

Test Methods and Equipment：IEC 62321-4:2013+A1:2017,IEC 62321-5:2013,IEC 62321-7-2:2017; ICP-OES, UV-Vis

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
				1-1	1-2	1-3
Lead(Pb)	mg/kg	/	5	N.D.	N.D.	N.D.
Cadmium(Cd)	mg/kg	/	5	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	/	5	N.D.	N.D.	N.D.
Hexavalent Chromium(Cr^{6+})	mg/kg	/	8	N.D.	N.D.	N.D.
Sum of Pb+Cd+Hg+Cr^{6+}	mg/kg	100	/	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
				1-4	1-5	1-6
Lead(Pb)	mg/kg	/	5	N.D.	N.D.	N.D.
Cadmium(Cd)	mg/kg	/	5	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	/	5	N.D.	N.D.	N.D.
Hexavalent Chromium(Cr^{6+})	mg/kg	/	8	N.D.	N.D.	N.D.
Sum of Pb+Cd+Hg+Cr^{6+}	mg/kg	100	/	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
				1-7	1-8
Lead(Pb)	mg/kg	/	5	N.D.	N.D.
Cadmium(Cd)	mg/kg	/	5	N.D.	N.D.
Mercury(Hg)	mg/kg	/	5	N.D.	N.D.
Hexavalent Chromium(Cr^{6+})	mg/kg	/	8	N.D.	N.D.
Sum of Pb+Cd+Hg+Cr^{6+}	mg/kg	100	/	N.D.	N.D.
Conclusion				Conformity	Conformity

Test Flow Chart of Lead, Cadmium and Mercury



Test Flow Chart of Hexavalent Chromium (Cr^{6+})



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3.The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***